



*The lightweight,  
powerful,  
space creating  
gas heating solution  
for the RV market*



- Specifically designed for use in Campervans
- Compact, space saving heating solution with narrow rotatable design
- Installed underfloor, maximising valuable living and storage space

- Enjoy the great outdoors all year round with total comfort day and night
- At the beach or on the mountain top, use Whale Heat Air anytime and in any season
- Easy to use, intuitive control panel

#### More for the manufacturer...



##### Less Weight

Compact and lightweight design



##### More Space

Increased bunk space, full length wardrobes and longer beds



##### Design Freedom

Customisable installation creating a blank canvas for vehicle designers



##### Connectivity

CI-BUS control compatibility



##### More Options

Wide range of models with efficient performance to maximise comfort

#### More for the user...



Fast heat up and fully automatic output modulation for enhanced user comfort



Quiet night time operation for when you need it most



Cosy van all year round



Even and well maintained heat distribution




Easy to use, no fuss controls


## Technical Specifications

|                        |                               | <b>HEAT AIR 3 GT</b>                              |
|------------------------|-------------------------------|---|
| <b>Conformity</b>      | CE                            | 0086/19   |
|                        | ECE R122                      | 122R-000174                                       |
|                        | ECE R10                       | 10R-10791   |
|                        | Ingress Protection            | IP 45   |
| <b>Gas</b>             | Type                          | Butane/Propane 30mbar - CAT I <sub>3B/P(30)</sub> |
|                        | Heat Input [kW]               | 1.4, 3.3  |
|                        | Heat Output [kW]              | 1.35, 2.85  |
|                        | Consumption [g/h]             | 109, 239  |
| <b>Electric 12V DC</b> | Voltage [V]                   | 10.1 to 15.9                                      |
|                        | Current Draw Range [A]        | 0.6 - 6.5   |
|                        | Current Draw Average [A]      | 1.8   |
|                        | Standby* [A]                  | 0.008   |
|                        | Rated Fuse Size [A]           | 5   |
| <b>Temperature</b>     | Storage [°C]                  | -40 to +70  |
|                        | Operation [°C]                | -20 to +50  |
|                        | Control [°C]                  | +5 to +32   |
| <b>Physical</b>        | Dimensions L x W x H [mm]     | 469 x 165 x 175                                   |
|                        | Weight [kg]                   | 5.9   |
|                        | Max Air Flow @ 0.5mbar [m3/h] | 150   |
|                        | Altitude Range** [m]          | 0 - 2750  |

\*Standby Current Draw for Heater only \*\*Output of heater may be limited at higher altitude depending on ambient and operating conditions.



- LIN protocol
- CI-BUS control compatibility
- Easy to use, intuitive design
- Low profile & compact
- Modern capacitive touch technology
- Discrete LED auto dim
- High quality UV resistant polymer



**Whale Support**  
 Tel: 0345 9090 911    Support@whalevanlife.com    www.whalevanlife.com



©Copyright Whale 2019 - All rights reserved. Reproduction in whole or in part without permission is prohibited.

WHALE® is a registered trademark of Munster Simms Engineering Limited, Bangor, Northern Ireland trading as Whale. Whale's policy is one of continuous improvement and we reserve the right to change specifications without prior notice. Illustrations are for guidance purposes only.

Neither the accuracy nor completeness of the information contained in this or any product literature is guaranteed by the Company and may be subject to change at its sole discretion.

ref: so\_ps\_haigas\_v6\_0721